



Department of Toxic Substances Control

Maureen F. Gorsen, Director
5796 Corporate Avenue
Cypress, California 90630



Arnold Schwarzenegger
Governor



Linda S. Adams
Secretary for
Environmental Protection

Sent Via Email

July 24, 2008

Ms. Yvonne Meeks
Portfolio Manager – Site Remediation
Pacific Gas and Electric Company
4325 South Higuera Street
San Luis Obispo, CA 93401

CONDITIONAL APPROVAL OF THE REVISED EAST RAVINE WORK PLAN AT PACIFIC GAS AND ELECTRIC COMPANY (PG&E), TOPOCK COMPRESSOR STATION, NEEDLES, CALIFORNIA (EPA ID NO. CAT080011729)

Dear Ms. Meeks,

The Department of Toxic Substances Control (DTSC) has completed our review of the July 11, 2008, *Revised Work Plan for East Ravine Groundwater Investigation*. As a result of our review, DTSC is providing a conditional approval of this work plan. The conditions of this approval are provided in the enclosed memorandum and its attachment from the Geological Services Unit (GSU). Furthermore, PG&E shall, within 30 days of final approval by the Department of Interior (DOI), implement the subject work plan and incorporate any specific conditions imposed by the DOI as a result of their review and consultation process.

If you have any questions regarding this conditional approval, please contact me at (714) 484-5439.

Sincerely,

Project Manager
Geology and Remediation Engineering

Enclosures

aky: 070803A

cc: See Next Page

Ms. Yvonne Meeks
July 24, 2008
Page 2 of 2

cc: PG&E Topock Consultative Workgroup Members – Via e-mail
PG&E Topock Geo/Hydro Technical Workgroup Members – Via e-mail
Tribal Representatives in PG&E Contact List – Via e-mail